



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/727,609	12/01/2000	Jeffrey Kempf	TI-29212	5677

23494 7590 05/27/2005

TEXAS INSTRUMENTS INCORPORATED
P O BOX 655474, M/S 3999
DALLAS, TX 75265

EXAMINER

THOMPSON, JAMES A

ART UNIT	PAPER NUMBER
----------	--------------

2624

DATE MAILED: 05/27/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/727,609

Applicant(s)

KEMPF, JEFFREY

Examiner

James A. Thompson

Art Unit

2624

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 December 2004 and 08 February 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☐ Claim(s) _____ is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 February 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see page 11, lines 2-11, filed 08 February 2005, with respect to the objections to the drawings, the objection to claim 12, and the rejections of claim 7, 9 and 16 under 35 USC §112, 2nd paragraph have been fully considered and are persuasive. The objections to the drawings listed in items 1 and 2 of the previous office action, dated 30 June 2004, the objection to claim 12 in item 3 of said previous office action, and the rejections of claim 7, 9 and 16 under 35 USC §112, 2nd paragraph in items 4-5 of said previous office action have been withdrawn.

2. Applicant's arguments filed 08 February 2005 have been fully considered but they are not persuasive.

Applicant cites the passage "[t]he cut filter must have zero weight for the right neighborhood pixel in order to eliminate the dependencies among the segments", which is a portion of Nguyen (US Patent 5,892,851) that Examiner has also cited in said previous office action. However, Applicant fails to account for the fact that, as stated in said previous office action, the segments (figure 5(520) of Nguyen) are processed in parallel one row (figure 5(510) of Nguyen) at a time (column 3, lines 18-19 and lines 55-59 of Nguyen). The cut filter is used because the error for the pixel at the far right end of the segment (the "last pixel") cannot be propagated to the segment to the right of said pixel due to the fact that the segments are being processed in parallel (column 3, lines 55-59 of Nguyen). As is well-known, in parallel processing, a plurality of

Art Unit: 2624

computer processors breaks up the digital computing into (ideally) equal chunks, thus saving the chronological time it takes to compute a desired result. Since the segment to the right of said last pixel is being processed simultaneously with the segment containing said last pixel, the error corresponding to said last pixel can only be propagated to segments in the following row. Thus, a cut filter is used since the segment to the right of said last filter cannot receive and use a portion of the error word of said last pixel without sacrificing the parallelism of the entire algorithm, thus defeating the whole point behind the invention of Nguyen. Thus, the segment that will be processed next is the segment immediately below the segment currently being processed. Therefore, the last pixel does indeed abut a group of pixels to be processed next and a second portion of the error word for said last pixel is propagated to a pixel in said group of pixels to be processed next. Again, due to parallel processing of the image data, the group of pixels to be processed next are the group of pixels comprising the segment below the segment currently being processed.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

4. Claim 1 is rejected under 35 U.S.C. 102(a) as being anticipated by Nguyen (US Patent 5,892,851).

Art Unit: 2624

Regarding claim 1: Nguyen discloses a method of performing error diffusion comprising the step of simultaneously processing image data for at least two pixels (figure 5(100,500(associated pixels)) of Nguyen) in a row of pixels (figure 5(510) of Nguyen), said at least two pixels comprising a first group of pixels (figure 5(100(associated pixels)) of Nguyen) and a last pixel (figure 5(500(associated pixels)) of Nguyen) (column 4, lines 1-7 of Nguyen). A four-weight filter (figure 5(100) of Nguyen) is applied to all but the last one of the pixels in a segment of the image row (column 4, lines 6-7 of Nguyen) and a three-weight filter (figure 5(500) of Nguyen) is applied to the last pixel in said segment (column 4, lines 4-5 of Nguyen). Each segment of the image row is computed in parallel (column 3, lines 55-59 of Nguyen). The image rows (figure 5(510) of Nguyen) are processed one image row at a time (column 3, lines 18-19 of Nguyen), as demonstrated in the example embodiment in column 5, lines 35-40 of Nguyen. Since the next image row is to be processed next, then the last pixel abuts the group of pixels to be processed next.

Nguyen further discloses reducing the precision of said image data to produce a modified image data word (column 3, lines 7-10 of Nguyen) and an error word for each pixel (column 3, lines 5-7 of Nguyen). Since the image is originally a continuous-tone image and is transformed into a halftone image (column 3, lines 7-10 of Nguyen), then the precision of said modified image data is reduced since a halftone image, by definition, comprises only one bit per pixel and a continuous-tone image, by definition, comprises more than one bit per pixel. Error diffusion processing of image data (column 3, lines 5-7 of Nguyen), by definition, produces an error word for

Art Unit: 2624

each pixel based on the difference between the halftone value and the original continuous-tone value, and then diffuses said error to other pixels.

Nguyen further discloses propagating a portion of said error word for each pixel in said first group to two pixels in a next row of pixels (figure 5(100(associated pixels)); column 3, lines 21-25; and column 4, lines 6-7 of Nguyen). The four-weight filter (figure 5(100) of Nguyen) is used for all of the pixels of the segment except for the last one (figure 5 and column 4, lines 6-7 of Nguyen). A portion of said error word for each pixel using said four-weight pixel (first group) is propagated to two pixels (figure 3(360,370) of Nguyen) in the next row of pixels, as demonstrated by the error diffusion arrows of figure 5(100) of Nguyen and the error diffusion propagation shown in figure 3 of Nguyen in which the error of pixel 100 is propagated to pixels 360 and 370, which are clearly in the next row to be processed (column 3, lines 21-25 of Nguyen).

Nguyen further discloses propagating a first portion of said error word for said last pixel to a pixel in said next row of pixels and a second portion of said error word for said last pixel to a pixel in said group of pixels to be processed next (figure 5(500 (associated pixels)) and column 4, lines 1-5 of Nguyen). Figure 6 of Nguyen shows the three-weight filter (column 2, lines 53-55 of Nguyen) used for the last pixel of each segment (column 4, lines 4-5 of Nguyen). Error is propagated from said last pixel into the next row using said three-weight filter (column 4, lines 1-5 of Nguyen). As can clearly be seen from figure 5 of Nguyen, the error portions corresponding to figure 6(630) and figure 6(620) of Nguyen

Art Unit: 2624

(first portion) are each propagated to a pixel in said next row of pixels and the error portion corresponding to figure 6(610) of Nguyen (second portion) is propagated into the first pixel of the segment below and to the right of said last pixel. The segment below and to the right of said last pixel is to be processed next since all segments of a row are processed in parallel (column 3, lines 55-59 of Nguyen).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 2-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nguyen (US Patent 5,892,851) in view of Shiau (US Patent 5,880,857).

Regarding claim 2: Nguyen discloses dividing the error word for each pixel in the first group (figure 5(100) of Nguyen) into a first and second portion (column 3, lines 21-25 of Nguyen). The error word is diffused to other pixels using Floyd-Steinberg error diffusion (column 3, lines 21-25 of Nguyen), which diffuses the error word in portions (column 4, lines 27-32 of Nguyen). The process of error diffusion adds said first and second error words to image data for a first (figure 3(360) of Nguyen) and second pixel (figure 3(370) of Nguyen) in the next row of pixels (figure 3 and column 3, lines

Art Unit: 2624

21-25 of Nguyen). As defined in the art, error diffusion requires that the weighted, diffused errors be added to the appropriate pixels in order to propagate the thresholding error for each pixel.

Nguyen does not disclose expressly generating a pseudo-random number; subtracting said pseudo-random number from said first portion to produce a first modified error word; and adding said pseudo-random number to said second portion to produce a second modified error word.

Shiau discloses generating a pseudo-random number (column 5, lines 15-18 of Shiau); and adding said pseudo-random number to image values (column 5, lines 29-32 of Shiau). The pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau). The addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude.

Nguyen and Shiau are combinable because they are from the same field of endeavor, namely error diffusion of image data. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to subtract a pseudo-random number from said first portion, thus producing a first modified error word; and add said pseudo-random number to said second portion, thus producing a second modified error word. If said pseudo-random number is subtracted from said first portion, said pseudo-random number would need to be added to said second portion since, as is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. The motivation for doing so would have been to defeat visual artifacts of a regular and deterministic nature (column 1, line

Art Unit: 2624

66 to column 2, line 1 of Shiau). Therefore, it would have been obvious to combine Shiau with Nguyen to obtain the invention as specified in claim 2.

Regarding claim 3: Nguyen discloses that said first modified error word is added to image pixel data for a pixel (figure 3(360) of Nguyen) directly below the pixel (figure 3(310) of Nguyen) generating the error signal (column 3, lines 21-25 of Nguyen). The application of error diffusion (column 3, lines 21-25 of Nguyen) implies that a weighted error word, such as said first modified error word, is added to a corresponding pixel since, as is well known in the art, this is the basic process of error diffusion.

Regarding claim 4: Nguyen discloses that said second modified error word is added to image pixel data for a pixel (figure 3(370) of Nguyen) directly below and to the right of the pixel (figure 3(310) of Nguyen) generating the error signal (column 3, lines 21-25 of Nguyen).

Regarding claim 5: Nguyen discloses dividing the error word for each pixel in the second group (figure 5(500) of Nguyen) into a first (figure 6(620) of Nguyen) and second portion (figure 6(610) of Nguyen) (column 4, lines 4-5 and lines 27-32 of Nguyen). The error word is diffused to other pixels using a modified Floyd-Steinberg error diffusion (column 4, lines 27-29 of Nguyen), which diffuses the error word in portions (column 4, lines 27-32 of Nguyen). For said second group, the error filter is modified from what is shown in figure 3 to redistribute the error diffusion that would normally go from figure 3(310) to figure 3(330) of Nguyen (column 3, lines 59-62 of Nguyen). The process of error diffusion adds said first error word to image data for a pixel (figure 3(360) of

Art Unit: 2624

Nguyen) in the next row of pixels (figure 3 and column 3, lines 21-25 of Nguyen). Since each segment of a row is processed in parallel by rows (column 3, lines 55-59 of Nguyen), said second error word is added to image data for a pixel (figure 3(370) of Nguyen) in said group of pixels to be processed next (figure 5 and column 3, lines 21-25 of Nguyen). As can be seen in figure 5 of Nguyen, the pixel to which said second error word is added (figure 3(370) of Nguyen) is in the segment which is below the segment that is the immediate right of the last pixel (figure 3(310) of Nguyen), and is thus in said group of pixels to be processed next.

Nguyen does not disclose expressly generating a pseudo-random number; subtracting said pseudo-random number from said first portion to produce a first modified error word; and adding said pseudo-random number to said second portion to produce a second modified error word.

Shiau discloses generating a pseudo-random number (column 5, lines 15-18 of Shiau); and adding said pseudo-random number to image values (column 5, lines 29-32 of Shiau). The pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau). The addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude.

Nguyen and Shiau are combinable because they are from the same field of endeavor, namely error diffusion of image data. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to subtract a pseudo-random number from said first portion, thus producing a first modified error word; and add said pseudo-random number to said second portion, thus producing a second modified error word. If said

Art Unit: 2624

pseudo-random number is subtracted from said first portion, said pseudo-random number would need to be added to said second portion since, as is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. The motivation for doing so would have been to defeat visual artifacts of a regular and deterministic nature (column 1, line 66 to column 2, line 1 of Shiau). Therefore, it would have been obvious to combine Shiau with Nguyen to obtain the invention as specified in claim 5.

Regarding claim 6: The arguments regarding claim 5 are incorporated herein. As stated, the pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau); and the addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude. Therefore, adding said pseudo random number to said first portion, as stated in claim 6, performs the same operations as adding a negative pseudo random number to said first portion, which is the subtraction stated in claim 5. Likewise, adding a negative pseudo random number, which is the subtraction stated in claim 6, to said second portion performs the same operations as adding a pseudo random number to said second portion, as stated in claim 5. Furthermore, if said pseudo-random number is added to said first portion, said pseudo-random number would need to be subtracted from said second portion since, as is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability.

Regarding claim 7: Nguyen discloses dividing the error word for each pixel in the first group (figure 5(100) of Nguyen)

Art Unit: 2624

into a first and second portion (column 3, lines 21-25 of Nguyen). The error word is diffused to other pixels using Floyd-Steinberg error diffusion (column 3, lines 21-25 of Nguyen), which diffuses the error word in portions (column 4, lines 27-32 of Nguyen). The process of error diffusion adds said first and second error words to image data for a first (figure 3(360) of Nguyen) and second pixel (figure 3(370) of Nguyen) in the next row of pixels (figure 3 and column 3, lines 21-25 of Nguyen).

Nguyen does not disclose expressly generating a first and second pseudo-random number; adding said first pseudo-random number to said first portion to produce a first modified error word; and adding said second pseudo-random number to said second portion to produce a second modified error word.

Shiau discloses generating a plurality of pseudo-random numbers (column 5, lines 15-18 of Shiau); and adding said pseudo-random numbers to image values (column 5, lines 29-32 of Shiau).

Nguyen and Shiau are combinable because they are from the same field of endeavor, namely error diffusion of image data. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to add the first of a plurality of pseudo-random numbers to said first portion, thus producing a first modified error word; and add the second of a plurality of pseudo-random numbers to said second portion, thus producing a second modified error word. The motivation for doing so would have been to defeat visual artifacts of a regular and deterministic nature (column 1, line 66 to column 2, line 1 of Shiau). Therefore, it would have been obvious to combine

Shiau with Nguyen to obtain the invention as specified in claim 7.

Regarding claim 8: Nguyen discloses dividing the error word for each pixel in the second group (figure 5(500) of Nguyen) into a first (figure 6(620) of Nguyen) and second portion (figure 6(610) of Nguyen) (column 4, lines 4-5 and lines 27-32 of Nguyen). The error word is diffused to other pixels using a modified Floyd-Steinberg error diffusion (column 4, lines 27-29 of Nguyen), which diffuses the error word in portions (column 4, lines 27-32 of Nguyen). For said second group, the error filter is modified from what is shown in figure 3 to redistribute the error diffusion that would normally go from figure 3(310) to figure 3(330) of Nguyen (column 3, lines 59-62 of Nguyen). The process of error diffusion adds said first error word to image data for a pixel (figure 3(360) of Nguyen) in the next row of pixels (figure 3 and column 3, lines 21-25 of Nguyen). Since each segment of a row is processed in parallel by rows (column 3, lines 55-59 of Nguyen), said second error word is added to image data for a pixel (figure 3(370) of Nguyen) in said group of pixels to be processed next (figure 5 and column 3, lines 21-25 of Nguyen). As can be seen in figure 5 of Nguyen, the pixel to which said second error word is added (figure 3(370) of Nguyen) is in the segment which is below the segment to the immediate right of the last pixel (figure 3(310) of Nguyen), and is thus in said group of pixels to be processed next.

Nguyen does not disclose expressly generating a first and second pseudo-random number; adding said first pseudo-random number to said first portion to produce a first modified error

Art Unit: 2624

word; and adding said second pseudo-random number to said second portion to produce a second modified error word.

Shiau discloses generating a plurality of pseudo-random numbers (column 5, lines 15-18 of Shiau); and adding said pseudo-random numbers to image values (column 5, lines 29-32 of Shiau).

Nguyen and Shiau are combinable because they are from the same field of endeavor, namely error diffusion of image data. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to add the first of a plurality of pseudo-random numbers to said first portion, thus producing a first modified error word; and add the second of a plurality of pseudo-random numbers to said second portion, thus producing a second modified error word. The motivation for doing so would have been to defeat visual artifacts of a regular and deterministic nature (column 1, line 66 to column 2, line 1 of Shiau). Therefore, it would have been obvious to combine Shiau with Nguyen to obtain the invention as specified in claim 8.

Regarding claim 9: The arguments regarding claim 7 are incorporated herein. As stated, the pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau); and the addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude. Therefore, adding a negative second pseudo random number, which is the subtraction stated in claim 9, to said second portion performs the same operations as adding a second pseudo random number to said second portion, as stated in claim 7. Furthermore, if both the first pseudo-random number and second pseudo-random number are positive and the first pseudo-

Art Unit: 2624

random number is added to said first portion, then said second pseudo-random number should be subtracted from said second portion. As is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. Subtracting the second pseudo-random number from said second portion will help achieve numerical stability.

Regarding claim 10: The arguments regarding claim 8 are incorporated herein. As stated, the pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau); and the addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude. Therefore, adding a negative second pseudo random number, which is the subtraction stated in claim 10, to said second portion performs the same operations as adding a second pseudo random number to said second portion, as stated in claim 8. Furthermore, if both the first pseudo-random number and second pseudo-random number are positive and the first pseudo-random number is added to said first portion, then said second pseudo-random number should be subtracted from said second portion. As is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. Subtracting the second pseudo-random number from said second portion will help achieve numerical stability.

Regarding claim 11: The arguments regarding claim 8 are incorporated herein. As stated, the pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau); and the addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same

Art Unit: 2624

magnitude. Therefore, adding a negative first pseudo random number to said first portion, which is the subtraction stated in claim 11, performs the same operations as adding a first pseudo random number to said first portion, as stated in claim 8. Furthermore, if both the first pseudo-random number and second pseudo-random number are positive and the first pseudo-random number is subtracted from said first portion, then said second pseudo-random number should be added to said second portion. As is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. Adding the second pseudo-random number to said second portion will help achieve numerical stability.

7. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nguyen (US Patent 5,892,851) in view of Delabastita (US Patent 6,118,513).

Regarding claim 12: Nguyen discloses a display system (figure 2 of Nguyen) comprising a controller (figure 2(200) of Nguyen) for receiving and processing pixelated image data (column 3, lines 5-10 of Nguyen). Said controller performs the method of claim 1, the arguments of which are incorporated herein.

Nguyen does not disclose expressly a light source for generating a beam of light along a first light path; and a light modulator for selectively modulating light along said first light path in response to image data signals from said controller.

Delabastita discloses a light source (figure 1(3) of Delabastita) for generating a beam of light along a first light

Art Unit: 2624

path (column 3, lines 45-49 of Delabastita); and a light modulator (figure 1(9) of Delabastita) for selectively modulating light along said first light path in response to image data signals from said controller (column 3, lines 49-55 of Delabastita). The hardware (figure 1(9) of Delabastita) controls the rasterization of the image based on the received density values (column 3, lines 49-55 of Delabastita). The density values are processed using error diffusion (column 3, line 67 to column 4, line 4 of Delabastita) and compared with a threshold, which results in outputting either a 1 or a 0 (column 4, lines 4, lines 4-12 of Delabastita).

Nguyen and Delabastita are combinable because they are from the same field of endeavor, namely image data processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use the device of Delabastita to output the halftone data determined by the system of Nguyen. The motivation for doing so would have been to be able to copy the halftoned image data onto light-sensitive materials (column 4, lines 45-50 of Delabastita). Therefore, it would have been obvious to combine Delabastita with Nguyen to obtain the invention as specified in claim 12.

8. Claims 13-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nguyen (US Patent 5,892,851) in view of Delabastita (US Patent 6,118,513) and Shiau (US Patent 5,880,857).

Regarding claim 13: Nguyen discloses that said controller (figure 2(200) of Nguyen) divides the error word for each pixel in the first group (figure 5(100) of Nguyen) into a first and second portion (column 3, lines 21-25 of Nguyen). The error

Art Unit: 2624

word is diffused to other pixels using Floyd-Steinberg error diffusion (column 3, lines 21-25 of Nguyen), which diffuses the error word in portions (column 4, lines 27-32 of Nguyen). The process of error diffusion adds said first and second error words to image data for a first (figure 3(360) of Nguyen) and second pixel (figure 3(370) of Nguyen) in the next row of pixels (figure 3 and column 3, lines 21-25 of Nguyen).

Nguyen in view of Delabastita does not disclose expressly generating a pseudo-random number; subtracting said pseudo-random number from said first portion to produce a first modified error word; and adding said pseudo-random number to said second portion to produce a second modified error word.

Shiau discloses generating a pseudo-random number (column 5, lines 15-18 of Shiau); and adding said pseudo-random number to image values (column 5, lines 29-32 of Shiau). The pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau). The addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude.

Nguyen in view of Delabastita is combinable with Shiau because they are from the same field of endeavor, namely image data processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have said controller subtract a pseudo-random number from said first portion, thus producing a first modified error word; and add said pseudo-random number to said second portion, thus producing a second modified error word. If said pseudo-random number is subtracted from said first portion, said pseudo-random number would need to be added to said second portion since, as is well known in the art, the total weights from an error diffusion

Art Unit: 2624

filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. The motivation for doing so would have been to defeat visual artifacts of a regular and deterministic nature (column 1, line 66 to column 2, line 1 of Shiau). Therefore, it would have been obvious to combine Shiau with Nguyen in view of Delabastita to obtain the invention as specified in claim 13.

Regarding claim 14: Nguyen discloses that said controller (figure 2(200) of Nguyen) divides the error word for each pixel in the second group (figure 5(500) of Nguyen) into a first (figure 6(620) of Nguyen) and second portion (figure 6(610) of Nguyen) (column 4, lines 4-5 and lines 27-32 of Nguyen). The error word is diffused to other pixels using a modified Floyd-Steinberg error diffusion (column 4, lines 27-29 of Nguyen), which diffuses the error word in portions (column 4, lines 27-32 of Nguyen). For said second group, the error filter is modified from what is shown in figure 3 to redistribute the error diffusion that would normally go from figure 3(310) to figure 3(330) of Nguyen (column 3, lines 59-62 of Nguyen). The process of error diffusion adds said first error word to image data for a pixel (figure 3(360) of Nguyen) in the next row of pixels (figure 3 and column 3, lines 21-25 of Nguyen). Since each segment of a row is processed in parallel by rows (column 3, lines 55-59 of Nguyen), said second error word is added to image data for a pixel (figure 3(370) of Nguyen) in said group of pixels to be processed next (figure 5 and column 3, lines 21-25 of Nguyen). As can be seen in figure 5 of Nguyen, the pixel to which said second error word is added (figure 3(370) of Nguyen) is in the segment which is below the segment to the immediate

right of the last pixel (figure 3(310) of Nguyen), and is thus in said group of pixels to be processed next.

Nguyen in view of Delabastita does not disclose expressly generating a pseudo-random number; subtracting said pseudo-random number from said first portion to produce a first modified error word; and adding said pseudo-random number to said second portion to produce a second modified error word.

Shiau discloses generating a pseudo-random number (column 5, lines 15-18 of Shiau); and adding said pseudo-random number to image values (column 5, lines 29-32 of Shiau). The pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau). The addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude.

Nguyen in view of Delabastita is combinable with Shiau because they are from the same field of endeavor, namely image data processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have said controller subtract a pseudo-random number from said first portion, thus producing a first modified error word; and add said pseudo-random number to said second portion, thus producing a second modified error word. If said pseudo-random number is subtracted from said first portion, said pseudo-random number would need to be added to said second portion since, as is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. The motivation for doing so would have been to defeat visual artifacts of a regular and deterministic nature (column 1, line 66 to column 2, line 1 of Shiau). Therefore, it would have been obvious to combine Shiau

Art Unit: 2624

with Nguyen in view of Delabastita to obtain the invention as specified in claim 14.

Regarding claim 15: The arguments regarding claim 14 are incorporated herein. As stated, the pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau); and the addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude. Therefore, adding said pseudo random number to said first portion, as stated in claim 15, performs the same operations as adding a negative pseudo random number to said first portion, which is the subtraction stated in claim 14. Likewise, adding a negative pseudo random number, which is the subtraction stated in claim 15, to said second portion performs the same operations as adding a pseudo random number to said second portion, as stated in claim 14. Furthermore, if said pseudo-random number is added to said first portion, said pseudo-random number would need to be subtracted from said second portion since, as is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability.

Regarding claim 16: Nguyen discloses that said controller (figure 2(200) of Nguyen) divides the error word for each pixel in the first group (figure 5(100) of Nguyen) into a first and second portion (column 3, lines 21-25 of Nguyen). The error word is diffused to other pixels using Floyd-Steinberg error diffusion (column 3, lines 21-25 of Nguyen), which diffuses the error word in portions (column 4, lines 27-32 of Nguyen). The process of error diffusion adds said first and second error words to image data for a first (figure 3(360) of Nguyen) and

second pixel (figure 3(370) of Nguyen) in the next row of pixels (figure 3 and column 3, lines 21-25 of Nguyen).

Nguyen in view of Delabastita does not disclose expressly generating a first and second pseudo-random number; adding said first pseudo-random number to said first portion to produce a first modified error word; and adding said second pseudo-random number to said second portion to produce a second modified error word.

Shiau discloses generating a plurality of pseudo-random numbers (column 5, lines 15-18 of Shiau); and adding said pseudo-random numbers to image values (column 5, lines 29-32 of Shiau).

Nguyen in view of Delabastita is combinable with Shiau because they are from the same field of endeavor, namely image data processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use said controller to add the first of a plurality of pseudo-random numbers to said first portion, thus producing a first modified error word; and add the second of a plurality of pseudo-random numbers to said second portion, thus producing a second modified error word. The motivation for doing so would have been to defeat visual artifacts of a regular and deterministic nature (column 1, line 66 to column 2, line 1 of Shiau). Therefore, it would have been obvious to combine Shiau with Nguyen in view of Delabastita to obtain the invention as specified in claim 16.

Regarding claim 17: Nguyen discloses that said controller (figure 2(200) of Nguyen) divides the error word for each pixel in the second group (figure 5(500) of Nguyen) into a first (figure 6(620) of Nguyen) and second portion (figure 6(610) of Nguyen) (column 4, lines 4-5 and lines 27-32 of Nguyen). The

Art Unit: 2624

error word is diffused to other pixels using a modified Floyd-Steinberg error diffusion (column 4, lines 27-29 of Nguyen), which diffuses the error word in portions (column 4, lines 27-32 of Nguyen). For said second group, the error filter is modified from what is shown in figure 3 to redistribute the error diffusion that would normally go from figure 3(310) to figure 3(330) of Nguyen (column 3, lines 59-62 of Nguyen). The process of error diffusion adds said first error word to image data for a pixel (figure 3(360) of Nguyen) in the next row of pixels (figure 3 and column 3, lines 21-25 of Nguyen). Since each segment of a row is processed in parallel by rows (column 3, lines 55-59 of Nguyen), said second error word is added to image data for a pixel (figure 3(370) of Nguyen) in said group of pixels to be processed next (figure 5 and column 3, lines 21-25 of Nguyen). As can be seen in figure 5 of Nguyen, the pixel to which said second error word is added (figure 3(370) of Nguyen) is in the segment which is below the segment to the immediate right of the last pixel (figure 3(310) of Nguyen), and is thus in said group of pixels to be processed next.

Nguyen in view of Delabastita does not disclose expressly generating a first and second pseudo-random number; adding said first pseudo-random number to said first portion to produce a first modified error word; and adding said second pseudo-random number to said second portion to produce a second modified error word.

Shiau discloses generating a plurality of pseudo-random numbers (column 5, lines 15-18 of Shiau); and adding said pseudo-random numbers to image values (column 5, lines 29-32 of Shiau).

Art Unit: 2624

Nguyen in view of Delabastita is combinable with Shiau because they are from the same field of endeavor, namely image data processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have said controller add the first of a plurality of pseudo-random numbers to said first portion, thus producing a first modified error word; and add the second of a plurality of pseudo-random numbers to said second portion, thus producing a second modified error word. The motivation for doing so would have been to defeat visual artifacts of a regular and deterministic nature (column 1, line 66 to column 2, line 1 of Shiau). Therefore, it would have been obvious to combine Shiau with Nguyen in view of Delabastita to obtain the invention as specified in claim 17.

Regarding claim 18: The arguments regarding claim 16 are incorporated herein. As stated, the pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau); and the addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude. Therefore, adding a negative second pseudo random number, which is the subtraction stated in claim 18, to said second portion performs the same operations as adding a second pseudo random number to said second portion, as stated in claim 16. Furthermore, if both the first pseudo-random number and second pseudo-random number are positive and the first pseudo-random number is added to said first portion, then said second pseudo-random number should be subtracted from said second portion. As is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. Subtracting

Art Unit: 2624

the second pseudo-random number from said second portion will help achieve numerical stability.

Regarding claim 19: The arguments regarding claim 17 are incorporated herein. As stated, the pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau); and the addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude. Therefore, adding a negative second pseudo random number, which is the subtraction stated in claim 19, to said second portion performs the same operations as adding a second pseudo random number to said second portion, as stated in claim 17. Furthermore, if both the first pseudo-random number and second pseudo-random number are positive and the first pseudo-random number is added to said first portion, then said second pseudo-random number should be subtracted from said second portion. As is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. Subtracting the second pseudo-random number from said second portion will help achieve numerical stability.

Regarding claim 20: The arguments regarding claim 17 are incorporated herein. As stated, the pseudo-random number can be positive or negative (column 5, lines 17-18 of Shiau); and the addition of a negative pseudo-random number is the same as the subtraction of a positive pseudo-random number of the same magnitude. Therefore, adding a negative first pseudo random number to said first portion, which is the subtraction stated in claim 20, performs the same operations as adding a first pseudo random number to said first portion, as stated in claim 17. Furthermore, if both the first pseudo-random number and second

Art Unit: 2624

pseudo-random number are positive and the first pseudo-random number is subtracted from said first portion, then said second pseudo-random number should be added to said second portion. As is well known in the art, the total weights from an error diffusion filter need to add up to about 1, but no more than 1, in order to maintain numerical stability. Adding the second pseudo-random number to said second portion will help achieve numerical stability.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James A. Thompson whose telephone number is 571-272-7441. The examiner can normally be reached on 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David K. Moore can be

Application/Control Number: 09/727,609
Art Unit: 2624

Page 26

reached on 571-272-7437. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James A. Thompson
Examiner
Art Unit 2624

JAT
11 May 2005



THOMAS D.
~~TOMMY~~ LEE
PRIMARY EXAMINER